


Lens Options for CV344, CV343, CV345, CV365, CV346 cameras

CS mount Varifocal Manual Focus Lens options for CV343, CV345, CV365, CV380, CV420

	Part No.	Megapixel Rating	Focal Length	Horizontal AOV	Iris	F-Stop	Focus Range from Front of Lens
	VS-M226-A	3MP	2.2~6mm	129°~50°	DC Auto (4 pin)	F1.3	∞ - 0.3m
	VS-M226-M-IRIS	3MP	2.2~6mm	129°~50°	Manual Control	F1.3~close	∞ - 0.3m
	VS-M288-M-IRIS	3MP	2.8~8mm	110°~30°	Manual Control	F1.2~close	∞ - 0.3m

	VS-M2812-2	3MP	2.8~12mm	98°~25°	DC Auto (4 pin)	F1.4	∞ - 0.3m
	VS-M419-6MP	6MP	4.1~9mm	72°~33° (1/3"), 97°~44° (1/2")	DC Auto (4 pin)	F1.6 - T360	∞ - 0.3m
	VS-M550-4	3MP	5~50mm	56°~6°	DC Auto (4 pin)	F1.4	∞ - 0.3m
	VS-M1550-A	3MP	15~50mm	20°~6°	DC Auto (4 pin)	F1.5	∞ - 0.8m

	VS-M880-A	3MP	8~80mm	38°~3° (1/3") 50°~5° (1/2")	DC Auto (4 pin)	F1.4	∞ - 1.5m
---	------------------	-----	--------	--------------------------------------	-----------------------	------	----------

Fixed Prime (CS mount) Lens options for CV344, CV343, CV346, CV345, CV365, CV366

	Part No.	Megapixel Rating	Focal Length	Horizontal AOV	Iris	F-Stop
	V-553.9-5MP- VIS-IR 1/2	5MP	3.9mm	80° (1/3"), 96° (1/2.5"), 125° (1/1.7")	F2.0	0.3m - ∞
	V-555.0-5MP- VIS-IR 1/2	5MP	5.0mm	63° (1/3"), 75.5° (1/2.5"), 98° (1/1.7")	F2.0	0.8m - ∞
	V-557.6-5MP- VIS-IR 1/2	5MP	7.6mm	40.4° (1/3"), 48° (1/2.5"), 60° (1/1.7")	F2.0	1.5m - ∞